



単位mm

| 寸法コード | 呼び<br>d <sub>1</sub> | 止 め 輪          |       |       |       |        |        | 許容スラスト<br>荷重(参考)<br>kN | 適用する穴 (参考)           |                |            |      |     |          |      |       |            |           |            |
|-------|----------------------|----------------|-------|-------|-------|--------|--------|------------------------|----------------------|----------------|------------|------|-----|----------|------|-------|------------|-----------|------------|
|       |                      | d <sub>3</sub> |       | t     |       | b<br>約 | a<br>約 |                        | d <sub>0</sub><br>最小 | d <sub>2</sub> |            | m    |     | n<br>最 小 |      |       |            |           |            |
|       |                      | 基準寸法           | 許容差   | 基準寸法  | 許容差   |        |        |                        |                      | 基準寸法           | 許容差        | 基準寸法 | 許容差 |          |      |       |            |           |            |
| 17010 | 10                   | 10.7           | ±0.18 | 1     | ±0.05 | 1.8    | 3.1    | 1.2                    | 4.71                 | 10.4           | +0.11<br>0 | 1.15 | 1.5 |          |      |       |            |           |            |
| 17011 | 11                   | 11.8           |       |       |       |        | 3.2    |                        | 5.22                 | 11.4           |            |      |     |          |      |       |            |           |            |
| 17012 | 12                   | 13             |       |       |       |        | 3.3    | 5.69                   | 12.5                 |                |            |      |     |          |      |       |            |           |            |
| 17013 | 13                   | 14.1           |       |       |       |        | 3.5    | 6.16                   | 13.6                 |                |            |      |     |          |      |       |            |           |            |
| 17014 | 14                   | 15.1           |       |       |       | 2      | 1.7    | 3.6                    | 6.67                 | 14.6           |            |      |     |          |      |       |            |           |            |
| 17015 | 15                   | 16.2           |       |       |       |        |        | 3.6                    | 7.18                 | 15.7           |            |      |     |          |      |       |            |           |            |
| 17016 | 16                   | 17.3           |       |       |       |        |        | 3.7                    | 7.65                 | 16.8           |            |      |     |          |      |       |            |           |            |
| 17017 | 17                   | 18.3           |       |       |       |        |        | 3.8                    | 8.08                 | 17.8           |            |      |     |          |      |       |            |           |            |
| 17018 | 18                   | 19.5           |       |       |       | ±0.2   | 1.2    | ±0.06                  | 2.5                  | 4.0            |            |      |     | 2        | 8.55 | 19    | +0.21<br>0 | 1.35      | +0.14<br>0 |
| 17019 | 19                   | 20.5           |       |       |       |        |        |                        |                      | 4.0            |            |      |     |          | 9.10 | 20    |            |           |            |
| 17020 | 20                   | 21.5           | 4.0   | 9.57  | 21    |        |        |                        |                      |                |            |      |     |          |      |       |            |           |            |
| 17021 | 21                   | 22.5           | 4.1   | 10.20 | 22    |        |        |                        |                      |                |            |      |     |          |      |       |            |           |            |
| 17022 | 22                   | 23.5           | 4.1   | 12.71 | 23    |        |        |                        |                      |                |            |      |     |          |      |       |            |           |            |
| 17023 | 23                   | 24.5           | 4.3   | 13.10 | 24.2  |        |        |                        |                      |                |            |      |     |          |      |       |            |           |            |
| 17024 | 24                   | 25.9           | 4.3   | 13.81 | 25.2  |        |        |                        |                      |                |            |      |     |          |      |       |            |           |            |
| 17025 | 25                   | 26.9           | 3     | 4.4   | 14.59 |        |        |                        | 26.2                 |                |            |      |     |          |      |       |            |           |            |
| 17026 | 26                   | 27.9           |       | 4.6   | 15.38 |        |        |                        | 27.2                 |                |            |      |     |          |      |       |            |           |            |
| 17028 | 28                   | 30.1           |       | 4.6   | 16.24 |        |        |                        | 29.4                 |                |            |      |     |          |      |       |            |           |            |
| 17030 | 30                   | 32.1           |       | 4.7   | 17.26 | 31.4   |        |                        |                      |                |            |      |     |          |      |       |            |           |            |
| 17032 | 32                   | 34.4           | ±0.25 | 1.5   | ±0.07 | 3.5    | 5.2    | 2.5                    | 19.30                | 33.7           | +0.25<br>0 | 1.65 | 2   |          |      |       |            |           |            |
| 17034 | 34                   | 36.5           |       |       |       |        | 5.2    |                        | 24.32                | 35.7           |            |      |     |          |      |       |            |           |            |
| 17035 | 35                   | 37.8           |       |       |       |        | 5.2    |                        | 25.11                | 37             |            |      |     |          |      |       |            |           |            |
| 17036 | 36                   | 38.8           |       |       |       |        | 5.2    |                        | 25.89                | 38             |            |      |     |          |      |       |            |           |            |
| 17037 | 37                   | 39.8           |       |       |       | 5.2    | 26.83  |                        | 39                   |                |            |      |     |          |      |       |            |           |            |
| 17038 | 38                   | 40.8           |       |       |       | 4      | 5.3    |                        | 27.46                | 40             |            |      |     |          |      |       |            |           |            |
| 17040 | 40                   | 43.5           |       |       |       |        | 5.7    |                        | 32.01                | 42.5           |            |      |     |          |      |       |            |           |            |
| 17042 | 42                   | 45.5           |       |       |       |        | 5.8    |                        | 35.70                | 44.5           |            |      |     |          |      |       |            |           |            |
| 17045 | 45                   | 48.5           |       |       |       |        | 5.9    |                        | 37.78                | 47.5           |            |      |     |          |      |       |            |           |            |
| 17047 | 47                   | 50.5           |       |       |       | ±0.4   | 1.75   |                        | ±0.07                | 4.5            |            |      |     | 6.1      | 2.5  | 39.62 | 49.5       | +0.3<br>0 | 1.90       |
| 17048 | 48                   | 51.5           | 6.2   | 40.80 | 50.5  |        |        |                        |                      |                |            |      |     |          |      |       |            |           |            |
| 17050 | 50                   | 54.2           | 6.5   | 48.05 | 53    |        |        |                        |                      |                |            |      |     |          |      |       |            |           |            |
| 17052 | 52                   | 56.2           | 6.5   | 50.21 | 55    |        |        |                        |                      |                |            |      |     |          |      |       |            |           |            |
| 17055 | 55                   | 59.2           | 5.1   | 6.5   | 53.35 |        |        | 58                     |                      |                |            |      |     |          |      |       |            |           |            |
| 17056 | 56                   | 60.2           |       | 6.6   | 54.52 |        |        | 59                     |                      |                |            |      |     |          |      |       |            |           |            |
| 17058 | 58                   | 62.2           |       | 6.8   | 56.09 |        |        | 61                     |                      |                |            |      |     |          |      |       |            |           |            |
| 17060 | 60                   | 64.2           |       | 6.8   | 57.66 |        |        | 63                     |                      |                |            |      |     |          |      |       |            |           |            |
| 17062 | 62                   | 66.2           |       | 5.5   | 6.9   |        |        | 60.41                  |                      | 65             |            |      |     |          |      |       |            |           |            |
| 17063 | 63                   | 67.2           |       |       | 6.9   |        |        | 61.98                  |                      | 66             |            |      |     |          |      |       |            |           |            |

次ページに続く



前ページより続く

単位mm

| 寸法コード | 呼び<br>d <sub>1</sub> | 止 め 輪          |                |      |        |        |            | 許容スラスト<br>荷重(参考)<br>kN | 適用する穴 (参考)           |                |            |           |            |          |
|-------|----------------------|----------------|----------------|------|--------|--------|------------|------------------------|----------------------|----------------|------------|-----------|------------|----------|
|       |                      | d <sub>3</sub> |                | t    |        | b<br>約 | a<br>約     |                        | d <sub>0</sub><br>最小 | d <sub>2</sub> |            | m         |            | n<br>最 小 |
|       |                      | 基準寸法           | 許容差            | 基準寸法 | 許容差    |        |            |                        |                      | 基準寸法           | 許容差        | 基準寸法      | 許容差        |          |
| 17065 | 65                   | 69.2           | ±0.45          | 2.5  | ±0.08  | 5.5    | 7          | 2.5                    | 79.24                | 68             | +0.3<br>0  | 2.7       | +0.14<br>0 | 2.5      |
| 17068 | 68                   | 72.5           |                |      |        | 6      | 7.4        |                        | 81.59                | 71             |            |           |            |          |
| 17070 | 70                   | 74.5           |                |      |        | 7.4    | 7.4        |                        | 84.34                | 73             |            |           |            |          |
| 17072 | 72                   | 76.5           |                |      |        | 7.4    | 7.4        |                        | 86.30                | 75             |            |           |            |          |
| 17075 | 75                   | 79.5           |                |      |        | 6.6    | 7.8        |                        | 91.01                | 78             |            |           |            |          |
| 17078 | 78                   | 82.5           |                |      |        | 8      | 8          |                        | 94.14                | 81             |            |           |            |          |
| 17080 | 80                   | 85.5           | ±0.55          | 3    | ±0.09  | 8      | 8          | 3                      | 96.50                | 83.5           | +0.35<br>0 | 3.2       | +0.18<br>0 | 3        |
| 17082 | 82                   | 87.5           |                |      |        | 7      | 8          |                        | 98.85                | 85.5           |            |           |            |          |
| 17085 | 85                   | 90.5           |                |      |        | 8      | 8          |                        | 122.39               | 88.5           |            |           |            |          |
| 17088 | 88                   | 93.5           |                |      |        | 7.6    | 8.2        |                        | 127.09               | 91.5           |            |           |            |          |
| 17090 | 90                   | 95.5           |                |      |        | 8.3    | 8.3        |                        | 130.23               | 93.5           |            |           |            |          |
| 17092 | 92                   | 97.5           |                |      |        | 8      | 8.3        |                        | 131.80               | 95.5           |            |           |            |          |
| 17095 | 95                   | 100.5          | 8.5            | 8.5  | 138.86 | 98.5   |            |                        |                      |                |            |           |            |          |
| 17098 | 98                   | 103.5          | 8.3            | 8.7  | 141.22 | 101.5  |            |                        |                      |                |            |           |            |          |
| 17100 | 100                  | 105.5          | 8.8            | 8.8  | 142.00 | 103.5  | +0.54<br>0 | 4.2                    | +0.63<br>0           | 4              |            |           |            |          |
| 17102 | 102                  | 108            | ±0.65          | 4    | ±0.10  | 9      |            |                        |                      |                | 9          | 196.13    | 106        |          |
| 17105 | 105                  | 112            |                |      |        | 8.9    |            |                        |                      |                | 9.1        | 200.84    | 109        |          |
| 17108 | 108                  | 115            |                |      |        | 9.5    |            |                        |                      |                | 9.5        | 210.25    | 112        |          |
| 17110 | 110                  | 117            |                |      |        | 10.2   |            |                        |                      |                | 10.2       | 211.82    | 114        |          |
| 17112 | 112                  | 119            |                |      |        | 10.2   |            |                        |                      |                | 10.2       | 214.96    | 116        |          |
| 17115 | 115                  | 122            |                |      |        | 10.2   | 10.2       | 221.24                 | 119                  |                |            |           |            |          |
| 17120 | 120                  | 127            | 10.7           | 10.7 | 231.44 | 124    | +0.72<br>0 | 4.2                    | +0.2<br>0            | 6              |            |           |            |          |
| 17125 | 125                  | 132            | 10             | 10.7 | 240.07 | 129    |            |                        |                      |                |            |           |            |          |
| 17130 | 130                  | 137            | 10.7           | 10.7 | 252.62 | 134    |            |                        |                      |                |            |           |            |          |
| 17135 | 135                  | 142            | 11             | 11   | 258.90 | 139    |            |                        |                      |                |            |           |            |          |
| 17140 | 140                  | 147            | 10.8           | 11   | 271.45 | 144    |            |                        |                      |                |            |           |            |          |
| 17145 | 145                  | 152            | 11             | 11   | 279.29 | 149    |            |                        |                      |                |            |           |            |          |
| 17150 | 150                  | 158            | +1.26<br>-0.63 | 4    | ±0.10  | 11.8   | 11.8       | 290.28                 | 155                  | +0.63<br>0     | 4.2        | +0.2<br>0 | 7.5        |          |
| 17155 | 155                  | 164            |                |      |        | 11.5   | 11.8       | 299.69                 | 160                  |                |            |           |            |          |
| 17160 | 160                  | 169            |                |      |        | 12.5   | 12.5       | 307.54                 | 165                  |                |            |           |            |          |
| 17165 | 165                  | 174.5          |                |      |        | 12     | 12.7       | 320.09                 | 170                  |                |            |           |            |          |
| 17170 | 170                  | 179.5          |                |      |        | 12.7   | 12.7       | 333.43                 | 175                  |                |            |           |            |          |
| 17175 | 175                  | 184.5          |                |      |        | 12.5   | 12.5       | 337.35                 | 180                  |                |            |           |            |          |
| 17180 | 180                  | 189.5          | 13             | 13   | 345.19 | 185    | +0.72<br>0 | 4.2                    | +0.2<br>0            | 7.5            |            |           |            |          |
| 17185 | 185                  | 194.5          | +1.44<br>-0.72 | 4    | ±0.10  | 13.5   |            |                        |                      |                | 13.5       | 356.96    | 190        |          |
| 17190 | 190                  | 199.5          |                |      |        | 13.5   |            |                        |                      |                | 13.5       | 368.73    | 195        |          |
| 17195 | 195                  | 204.5          |                |      |        | 14     |            |                        |                      |                | 14         | 373.44    | 200        |          |
| 17200 | 200                  | 209.5          |                |      |        | 14     |            |                        |                      |                | 14         | 376.58    | 205        |          |

備考 1. 許容スラスト荷重は止め輪自体のせん断荷重で相手軸の材質及び硬さにより変化します。  
2. 許容スラスト荷重は安全係数4で計算した値である。

注意 1. ステンレス材でJIS基準 ( JIS G 4313 ばね用ステンレス鋼帯) 外の板厚の製品は、SUS304-CSP相当とします。

|           |        |           |                 |            |                 |              |       |    |
|-----------|--------|-----------|-----------------|------------|-----------------|--------------|-------|----|
| 品名<br>コード | 117    | 材質<br>コード | 02...SUS304-CSP |            | 品番 (規格品コード) 呼称法 |              |       |    |
|           |        |           | 表面<br>コード       | 01...光沢仕上げ | 硬<br>度          | HRC<br>37~46 | 品名    | 表面 |
| ①①⑦⑦②②①   | ①①①①①① | 材質        |                 |            |                 |              | 寸法コード |    |